

**THE JUDICIARY, STATE OF HAWAII  
NOTICE OF AMENDMENT TO EXEMPTION  
FROM HRS CHAPTER 103D**

TO: Chief Procurement Officer

FROM: Judiciary Administration Capital Improvements Program  
*Name of Requesting Division/Program*

*Pursuant to HRS § 103D ---102 (b)(4) and HAR Chapter 3---120, The Judiciary requests to amend an exemption for the following:*

<p>1. Describe the goods, services or construction: Install (3) air-cooled chillers - (2) 100T and (1) 60T jockey chiller - on Ali'iolani Hale. Work will include but may not be limited to storage of chillers in bonded warehouse until delivery to site, removal and proper disposal of existing chillers and installation of new chillers and allowance for incidental reimbursable expenses (such as Sheriffs, parking, etc.)</p> <p>This procurement is related to 2 prior purchase requisitions: 1) to purchase the chillers and 2) to obtain permits to install the chillers.</p>	
<p>2. Vendor/Contractor/Service Provider:  Oahu Air Conditioning</p>	<p>3. Amount of Request:  NTE \$175,000.00</p>
<p>4. Term of Contract From: 01/01/2018 To: 06/30/2018</p>	<p>5. Prior Judiciary Procurement Exemption No. (if applicable):  JE18-58</p>
<p>6. Explain in detail why it is not practicable or not advantageous for the Program/Division to procure by competitive means: Oahu Air Conditioning (OAC) has a contract with First Circuit to service and maintain, "in complete and satisfactory operations," the AC systems on Judiciary-operated buildings on Oahu, including Ali'iolani Hale. Their contract stipulates that they will "replace all worn, failed or doubtful components" with new that are of "similar design and quality to maintain system integrity and serviceability." In event replacement is required, OAC will provide new parts (in our case system components) with those exceeding \$4000 to be paid for by Judiciary. One of the 100T chillers has failed, been out of service and must be replaced. The second 100T chiller is operating in a marginal condition, is no longer reliable and should be replaced because failure could happen at any time. The 60T jockey chiller is operating but nearly to the end of its useful service life and should also be replaced because it is currently being exercised at abnormal rates. Given that Oahu Air Conditioning is already under contract to service and maintain our systems as well as to provide replacement equipment at our costs, it is not practical or advantageous to procure or install replacement chillers by competitive means. Because Oahu Air Conditioning is responsible for maintaining our AC systems, it would likely create conflicts and finger pointing were we to bring in another vendor to provide new equipment and service equipment selectively and independently that must otherwise tie into our system and function properly. Oahu Air Conditioning has already been provided POs to purchase the chillers and obtain required permits to install. The work described in this exemption constitutes the next steps: storing the equipment until a suitable installation window is developed/coordinated and then proceeding with the installation itself which will entail significant crane work.</p>	
<p>7. Explain in detail, the process that will be or was utilized in selecting the vendor/contractor/service provider: Oahu Air Conditioning (OAC) submitted a competitive sealed bid, to "provide air conditioning and ventilation system maintenance service and chemical water treatment of air conditioning equipment at various Judiciary facilities on Oahu," that was accepted by The Judiciary as the lowest responsive and responsible bid based on criteria set forth in IFB No. J18030. Agreement was made and entered into as of 10th day of July, 2017. The IFB and agreement clearly state responsibilities for the company to replace system components on terms that apply to the chiller procurement and installation.</p>	

8. Identify the primary responsible staff person(s) conducting and managing this procurement. (Appropriate delegated procurement authority and completion of mandatory training required).

\*Point of contact (Place asterisk after name of person to contact for additional information).

Name	Division/Program	Phone Number	email address
Joanne Krippaehne*	Admin/Policy and Planning/CIP	538-4784	<a href="mailto:Joanne.M.Krippaehne@courts.hawaii.gov">Joanne.M.Krippaehne@courts.hawaii.gov</a>
Wayne Taniguchi	First Circuit/Facilities	538-4348	<a href="mailto:Wayne.S.Taniguchi@courts.hawaii.gov">Wayne.S.Taniguchi@courts.hawaii.gov</a>
Terri Gearon	Administration/Fiscal	538-4747	<a href="mailto:Terri.L.Gearon@courts.hawaii.gov">Terri.L.Gearon@courts.hawaii.gov</a>

**All requirements/approvals and internal controls for this expenditure is the responsibility of the Division/Program. I certify that the information provided above is, to the best of my knowledge, true and correct.**

/s/ Wendell Mick

Department/Division/Program Head Signature

4/9/2018

Date

### For Chief Procurement Officer Use Only

Date Notice Posted: \_\_\_\_\_

Inquiries about this request shall be directed to the contact named in Item 8. Submit written objection to this NOTICE OF AMENDMENT TO EXEMPTION within seven (7) calendar days, or as otherwise allowed, from the Date Notice Posted to:

Chief Procurement Officer - The Judiciary  
Financial Services Department  
Contracts & Purchasing Office  
1111 Alakea Street, 6<sup>th</sup> Floor  
Honolulu, Hawaii 96813-2807

Chief Procurement Officer (CPO) Comments:

Approved

Disapproved

No Action Required

\_\_\_\_\_  
Chief Procurement Officer Signature

\_\_\_\_\_  
Date