THE JUDICIARY, STATE OF HAWAII NOTICE OF REQUEST FOR EXEMPTION FROM HRS CHAPTER 103D

TO:

pricing.

Chief Procurement Officer

1st Circuit Court/Facilities Management

rkum:					
	Name of Requesting Division/Progran	n .			
		udiciary requests a procurement exemption for the following:			
1. Describe the	e goods, services or construction:				
Maintenanc	e of contract which covers elevators at	Kapolei Judiciary Complex.			
1	tractor/Service Provider:	3. Amount of Request:			
Otis Elevato	•	Year 1 - \$86,215.92 plus applicable tax			
683 Halekaı		(adjustment allowable for Year 2 - Year 5			
Honolulu, H	I 96813	per contract)			
4. Term of Con	itract From: To:	5. Prior Judiciary Procurement Exemption No.			
From: 04/01	/2022 To: 03/31/2027	(if applicable):			
1 10111. 0-1/01	72022 10. 00/31/2021	JE17-55			
6. Explain in d	etail why it is not practicable or not advantageou	s for the Program/Division to procure by competitive means:			
With regards to repairs and maintenance of State-owned elevators and whether this service should be					
competitively bid or handled manufacturers maintenance, extensive investigation by DAGS Central					
Services Division has determine that servicing by manufactures affords the best liability protection and					
value for the State. The basis for this include: a) liability issues, accountability through single sole					
		ability; b) costs and parts availability, as the			
	• • • • • • • • • • • • • • • • • • • •	ations, parts and engineering support to perform			
repairs and maintenance work as being the original equipment manufacturer (OEM); c) manufacturer's					
factory-train	ed technicians who have technical expe	ertise and access to proper parts.			
		electing the vendor/contractor/service provider:			
OTIS Elevator is the original installer of the elevator system and based on the explanation in item 6					
		ce the elevator was first put into service.			
		103D-102(b)(4) and Chapter 3-120. Liability is			
		operate reliably to transport building occupants cting the Judiciary's exposure to liability is the			
I WILLIOUL IAIIU	ie. Olveli tile usage of elevatols, protet	and the addictary a exposure to hability is the			

priority. Problems, failures and continued performance issues are clearly attributable to one source and resolution is expedient. To have another elevator company diagnosis the problem which is not

their licensed equipment will not be feasible. The Judiciary will always be in dispute with two companies for the same problem if we were to compromise in such matter as who gives the best

8. Identify the primary responsible staff person(s) conducting and managing this procurement. (Appropriate delegated procurement authority and completion of mandatory training required). *Point of contact (Place asterisk after name of person to contact for additional information).						
Name	Division/Program	Phone Number	email address			
Wayne Taniguchi	Facilities Management	538-5490	wayne.s.taniguchi@courts.hawaii.gov			
Dee Dee Letts	Acting Court Administrative Svc Of	538-5990	deedee.d.letts@courts.hawaii.gov			
All requirements/approvals and internal controls for this expenditure is the responsibility of the Division/Program. I certify that the information provided above is, to the best of my knowledge, true and correct.						
/s/ Dee Dee L	etts		2/24/2022			
Department/Div	rision/Program Head Signature	Date				
For Chief Procurement Officer Use Only						
Date Notice Posted:						
Inquiries about this request shall be directed to the contact named in Item 8. Submit written objection to this NOTICE OF REQUEST FOR EXEMPTION within seven (7) calendar days, or as otherwise allowed, from the Date Notice Posted to:						
Chief Procurement Officer – The Judiciary Financial Services Department Contracts & Purchasing Office 1111 Alakea Street, 6 th Floor Honolulu, Hawaii 96813-2807						
Chief Procurement Officer (CPO) Comments:						
☐ Approved	☐ Disapproved	□ No A	Action Required			
	Chief Procurem	ent Officer Sign	nature Date			

CP-3 (Apr 2013) Page 2 Exemption No: <u>JE22-41</u>