THE JUDICIARY, STATE OF HAWAII NOTICE OF REQUEST FOR EXEMPTION FROM HRS CHAPTER 103D

| Т0: | Chief Procurement Officer | | | | |
|--|---|--|--|--|--|
| FROM: | 2JC, Facilities Management | | | | |
| i itolii. | Name of Requesting Division/Program | <u> </u> | | | |
| | | | | | |
| Pursuant to HRS § 103D -102 (b)(4) and HAR Chapter 3-120, The Judiciary requests a procurement exemption for the following: 1. Describe the goods, services or construction: | | | | | |
| Vendor provides annual maintenance services for the fire alarm system to adequately sustain the court operations at | | | | | |
| Hoapili Hale. | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| 2. Vendor/Conti | ractor/Service Provider: | 3. Amount of Request: | | | |
| Johnson Contro | ls Inc. | \$7,897.00 + tax | | | |
| | | | | | |
| 4. Term of Conti | ract From: To: | 5. Prior Judiciary Procurement Exemption No. | | | |
| 7/1/2022 to 6/30/2023 | | (if applicable): | | | |
| C Familia in dat | ailhit iaatati aablaat adata aasa fatha l | JE 21-47 | | | |
| _ | cail why it is not practicable or not advantageous for the l | | | | |
| Johnson Controls manufactured and installed all of the original fire alarm system equipment at Hoapili Hale and have the only certified technicians that are factory trained to exclusively work only on this proprietary equipment. | | | | | |
| only contined technicians that are lactory trained to exclusively work only on the proprietary equipment. | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| 7 Evplain in dot | rail the process that will be or was utilized in selecting th | o vondor/contractor/corvice provider | | | |
| 7. Explain in detail, the process that will be or was utilized in selecting the vendor/contractor/service provider: Contractor /vendor had been selected in a prior administration. Selection of Johnson Controls as the contractor to maintain | | | | | |
| the equipment at Hoapili Hale is based on a couple factors. The equipment is apart of a Johnson Controls system and they | | | | | |
| have the expertise and experience in maintaining the proprietary systems. | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

CP-3 (Apr 2013) Page 1 Exemption No: <u>JE23-10</u>

| 8. Identify the primary responsible staff person(s) conducting and managing this procurement. (Appropriate delegated | | | | | |
|--|---------------------------|-----------------|----------------------------------|--|--|
| procurement authority and completion of mandatory training required). *Point of contact (Place asterisk after name of person to contact for additional information). | | | | | |
| Name | Division/Program | Phone Number | email address | | |
| Paul Petro | Fiscal branch | 808-244-2994 | Paul.M.Petro@courts.hawaii.gov | | |
| Sandy Kozaki | Second Circuit Court | 808-244-2929 | Sandy.S.Kozaki@courts.hawaii.gov | | |
| | | | | | |
| All requirements/approvals and internal controls for this expenditure is the responsibility of the Division/Program. I certify that the information provided above is, to the best of my knowledge, true and correct. | | | | | |
| /s/ Sandy Kozaki | | | 04/26/2022 | | |
| Department/Divisi | on/Program Head Signature | | Date | | |
| | | | | | |
| For Chief Procurement Officer Use Only | | | | | |
| Date Notice Posted: | | | | | |
| Inquiries about this request shall be directed to the contact named in Item 8. Submit written objection to this NOTICE OF REQUEST FOR EXEMPTION within seven (7) calendar days, or as otherwise allowed, from the Date Notice Posted to: | | | | | |
| Chief Procurement Officer – The Judiciary Financial Services Department Contracts & Purchasing Office 1111 Alakea Street, 6th Floor Honolulu, Hawaii 96813-2807 | | | | | |
| Chief Procurement Officer (CPO) Comments: | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| Approved | ☐ Disapproved | No Action | n Required | | |
| Chief Procurement Officer Signature Date | | | | | |

CP-3 (Apr 2013) Page 2 Exemption No: <u>JE23-10</u>