

**THE JUDICIARY, STATE OF HAWAII
NOTICE OF AMENDMENT TO
SOLE SOURCE CONTRACT**

TO: Chief Procurement Officer

FROM: Supreme Court of Hawaii - Courts of Appeals

(Name of Requesting Division/Program)

Pursuant to HRS § 103D -306 and HAR Chapter 3-122, Subchapter 9, The Judiciary requests an amendment to sole source approval as follows

1. Sole Source Reference (JS) number:

JS24-44

2. Vendor/Contractor/Service Provider Name:

Security Resources Pacific, Inc.

3. Describe the goods and/or services:

The contract requires Security Resources Pacific, Inc., (SRP) to replace two existing, outdated wireless access control card readers with new hard-wired access control readers at the following exterior door locations of Ali'iolani Hale:

- Rear Diamond Head entrance, Checkpoint B
- Rear Diamond Head entrance, Location C

4. Request to amend is submitted in order to:




Revise the scope of services for the contract as follows:

SRP shall furnish and install the following devices for the Checkpoint B hard-wired access control reader:

- One (1) Electronic Mortise Exit Device with Trim, US10B
- Cylinder / Keying and Rim Housing by others
- One (1) New Bar and Plate for existing Exit Device (to match opposite device)

SRP shall also furnish and install the following devices for the Location C hard-wired access control reader:

- One (1) Card Reader, Wall Mount, Single-Gang, Black
- Cabling, Misc Mounting Hardware, Misc Connectors, Door Sounder with Key Override

The amended contract shall become effective on the date of the last signature by the parties, and shall remain in force until June 30, 2026, both dates inclusive, unless otherwise terminated or extended by mutual agreement between parties in writing. The period between the date of the last signature by the parties, and June 30, 2026, shall be deemed the "time and performance" for the purpose of this amended contract. 



Amending Contract price

Original Contract Price: \$19,579.54

Amended Contract Price: \$28,134.92

5. Explain in detail why this/these amendment(s) is/are necessary.

For Checkpoint B, the existing koa astragal on the active door will need to be replaced as its profile will not match the profile of the new lock set. This will be the third time this astragal required replacement due to new lock sets. Because the astragal is solid koa and over 12 feet long, it is very expensive to replace. It was decided that a new type of astragal was needed, which would also confirm/integrate with a potential hardened spaces project currently being planned at the Judiciary's Security Office.

For Location C, a potential security deficiency was discovered in the design of this secured perimeter door. Members of the public are not able to enter Location C as an access control reader is installed on the exterior side of the active door. Only employees are authorized to enter via their access badges. However, because this entrance is tucked away in a corner and that line of sight is obscured from our security officers at the front screening checkpoint, an unlawful person would be able to open the door from the inside without being noticed, and allow the entry of unauthorized individuals. To correct the deficiency, another control reader and an alarm must be installed on the interior side of the door. Employees will be required to scan their access badge before exiting the door. Failure to do so will trigger the alarm, alerting security and preventing any unauthorized access.

6. Identify the primary responsible staff person(s) conducting and managing this procurement. (Appropriate delegated procurement authority and completion of mandatory training required).

*Point of contact (Place asterisk after name of person to contact for additional information).

Name	Division/Program	Phone Number	email address
Curt Shibata	Supreme Court of Hawaii	539-4730	curt.m.shibata@courts.hawaii.gov

Agency shall ensure adherence to applicable administrative and statutory requirements, including HAR chapter 3-122, Subchapter 15, Cost or Pricing Data, if required.

All requirements/approvals and internal controls for this expenditure is the responsibility of the Division/Program. I certify that the information provided above is, to the best of my knowledge, true and correct.

/s/ Elizabeth Zack

Department/Division/Program Head Signature

04/28/2025

Date

For Chief Procurement Officer Use Only

Date Notice Posted: _____

Inquiries about this request shall be directed to the contact named in Item 6. Submit written objection to this NOTICE OF AMENDMENT TO SOLE SOURCE CONTRACT within seven (7) calendar days, or as otherwise allowed, from the Date Notice Posted to:

Chief Procurement Officer – The Judiciary
Financial Services Department
Contracts & Purchasing Office
1111 Alakea Street, 6th Floor
Honolulu, Hawaii 96813-2807

Chief Procurement Officer (CPO) Comments:

☐

Approved

☐

Disapproved

☐

No Action Required

Chief Procurement Officer Signature

Date



State of Hawaii – The Judiciary
Curt Shibata
417 South King Street, Room 201
HONOLULU, HI 96813

State of Hawaii

3.19.2025

Dear Mr. Shibata

This letter is in reference to the distribution, service, and support of the PremiSys Security Management system, PremiSys Access Control Management system, and the American Dynamics Video Edge management system, in the State of Hawaii. This system seamlessly integrates security and building maintenance devices into a dynamic Graphical User Interface operating platform. This level of integration requires that the security integrator who maintains and supports your system be fully capable of servicing all aspects of your system including the platform that manages the entire system, and ancillary equipment installed on your system. In addition, you will need to have an integrator that is supported by PremiSys in the event there is a system problem that requires our technical assistance or engineering. With the expertise required to maintain your existing systems you will definitely want an integrator in the state that can respond to your requests for service in a timely manner.

Security Resources is the only company in Hawaii that is authorized, certified, and trained to provide, install, service and maintain the existing PremiSys Security Management system, the PremiSys Access Control Management System, the PremiSys Interface to the American Dynamics Video Edge system and the related interface software and hardware. PremiSys will not provide products, technical assistance or any other support to unauthorized companies or individuals who may attempt to maintain or service your system. Security Resources and PremiSys have invested considerable resources to develop strong support for our products and systems in your region.

Please contact me if you have any further questions.

Sincerely,

Zuzana Spencer
RSM at acre Security
zuzanaspencer@acresecurity.com

acre security

ACRE Operating Group
10181 Park Run Drive, Suite 190
Las Vegas, Nevada, 89145
USA